

# **PCIe 3 Ports**

**(1x USB-C 20Gbps + 2x USB-A 10Gbps)**

**USB 3.2 Host Adapter**

## **User Manual**

**Ver. 1.00**

**All brand names and trademarks are properties of their  
respective owners.**

# Contents:

Chapter 1: Introduction.....	3
1.1 Features.....	3
1.2 System Requirements .....	3
1.3 Package Contents.....	4
Chapter 2: Getting Started .....	4
2.1 Hardware Installation .....	4

# Chapter 1: Introduction

## ***1.1 Features***

- PCI-Express x8
- Support 2 ports of USB 3.2 Gen 2 Type-A and 1 port of USB 3.2 Gen 2x2 Type-C
- USB Type-A 10Gbps Bandwidth Performance, USB Type-C 20Gbps Bandwidth Performance
- Compliant with Intel's eXtensible Host Controller Interface (xHCI) Specification Revision 1.1
- Support Multiple INs function
- Compliant with USB 3.2 Specification Revision 1.0
- Compliant with UASP Revision 1.0
- SATA power connector
- No need to install drivers
- Supports 3A Type-C

## ***1.2 System Requirements***

- Windows 8.x/10 (32/64 bit);
- Linux 3.2 later

- One available PCI Express x8 or x16 slots

## ***1.3 Package Contents***

- 1 x PCIe 3 Ports (1x USB-C 20Gbps + 2x USB-A 10Gbps) USB 3.2 Host Adapter
- 1 x User Manual

# Chapter 2: Getting Started

## ***2.1 Hardware Installation***

1. Turn off the power to your computer.
2. Unplug the power cord and remove your computer's cover.
3. Remove the slot bracket from an available PCI-Express x8、 x16 slot.
4. To install the card, carefully align the card's bus connector with the selected PCIe slot on the motherboard. Push the board down firmly.
5. Replace the slot bracket's holding screw to secure the card.
6. Secure the computer cover and reconnect the power cord.